

Thank you for your interest in **Little David** Case Sealers by **Loveshaw**. Here is your recently requested pricing for a Model **LD3SB/2** semi automatic uniform case sealing machine.

This machine will receive from your operator your uniform size regular slotted containers with all four top flaps folded and closed . Side belt drive will propel the case through the taping process. The case will be processed and 2" wide pressure sensitive tape of commercially good quality will be applied to the top and bottom center seam with leading and trailing tape tabs of 2-1/4" to 2-1/2". The case will then be discharged onto your exit conveyor. The **LD3SB/2** which we propose will accept your uniform size regular slotted containers within the following dimensions:

	<u>Length</u>	<u>Width</u>	<u>Height</u>
<u>Max:</u>	INF	20"	24"
<u>Min:</u>	4-1/2"	4"	4-1/2"

Price Includes:

- Semi automatic uniform side belt drive top and bottom case sealer
- 110 volt single phase electric's
- 24" conveyor height adjustable up to 30" in 1" increments
- Removable & interchangeable tape cartridges
- Side belt drive for light weight cases
- Right to left case flow

Price, FOB, S. Canaan, PA Freight Collect

\$6,150.00

(plus applicable sales, use, privilege or excise taxes and Federal, State or local, if any)

We propose production speeds of this equipment to be approximately twenty-four (24) containers per minute based on a 24" long case @ 72 feet per minute belt speed. However, throughput speeds of a semi automatic machine can only be determined by operator efficiency and length of time necessary for packing. The delivery of this **LD3SB/2** machine can be made in approximately one (1) week from receipt of a firm order. This quotation is valid for 60 days from date issued. Thank you for giving us the opportunity to bid for your business.

Installation:

Installation, training & service will be provided by the local distributor at prevailing rates.

Terms:

Net 30 days.

Power requirements:

110 VAC, 60 HZ, single phase, 8 amps

Air Consumption:

N/A

Machine Weight:

375 lbs. (uncrated)

Machine Dimensions:

32" L (41-1/2" with box guides) x 43 W x 59-1/4" H

Available Options :

Top squeezer	.TSA3SB	260.00
Pack table (standard)	.ITA100	235.00
Pack table (rollerbed)	.ITA3SB/RB	670.00
Pack table (with box hold down device)	.ITA100-3.5T	450.00
Spare cartridge	.CAC60	1,250.00
Casters	.LDC302	230.00
NEMA 12 electrical package	----	795.00
Top three flap folder	.TFF3SB/2FF	260.00
Increased conveyor height from 33" to 38"	----	535.00
34" high case capability	.HMA301F	235.00
Mirror image	----	950.00
Jet Printer Adapter	CPAOP00-LD3	350.00
3 phase electric's	----	835.00
Recommended spare parts kit	.RPK-3SB-CAC60	485.00
Custom paint	----	CF
N E M A 4 wiring-enclosure & switch <i>(wash-down, damp or humid environment)</i>	----	995.00 **
NESTAFLEX Conveyor (model # 17514008) <i>(14" wide - Polymer skate wheel - 2' 4" contracted - 8' 11" extended)</i>	----	725.00
Top Tape only	----	deduct 250.00
Bottom only tape application	----	deduct 1,200.00
Top hold down sled assembly	.HDS-SP304	530.00
Extended side belt drive	----	2,290.00

** Delivery may be extended to 12 to 17 weeks

LD-3SB Semi-Automatic Uniform



Features:

- Self-centering belts
- Single mast design allows clear access
- Uses pressure sensitive tape

Specifications:

- Power requirements: 120 volts, single phase, 60 cycle, 8.0 Amps
- Operating Speed: continuous belt drive; 72' per minute (18.3m/min)
- Case capacity (with 2" wide CaseLocker ST™ cartridge):
 - Length: 4-1/2" (114mm) - infinite
 - Width: 4" (102mm) - 20" (508mm)
 - Height: 4-1/2" (114mm) - 24" (610mm)

Features on all Case Sealers:

- Plug in operation, minimal operator training required
- Conveyor height is 22-1/4" for all except LD-16R is 24"
- Sealed drive system for low maintenance
- CaseLocker ST™ tape cartridge requires no lubrication
- Knife guard system of the CaseLocker ST™ tape cartridge allows the blade to be exposed only when the rollers are depressed
- 7 through 11 gauge steel - heavy duty construction
- Simple adjustments for quick changeover
- Low maintenance
- Warranty - Reliable Performance
 - 1 Year All Components*
 - 2 Years Gear Reducer
 - 3 Years Cartridge*

*Moving and wear parts are not included. Other restrictions may apply.
Consult Loveshaw or your authorized Little David® Distributor for details.

Options: (Consult Factory)

- Casters
- Adjustable leg extensions
- High mast for box heights to 34" (864mm)
- Front and rear solid or roller pack table
- Top squeezers
- Folder/mailler
- Special colors matched in powder coating, stainless steel or STEEL IT is available
- NEMA 4, NEMA 7, 3 phase electrics
- Spare parts kit
- Top hold down sled (for semi-automatic case sealer model)
- Low tape warning
- No tape warning
- Spare parts kit
- Spare pressure sensitive tape cartridge