

PROPOSAL FOR MODEL:

LP 550 PUP



Provided by: www.PTIPackaging.com

Toll Free 1-800-472-0067 or info@ptipackaging.com



.....SIMPLY BETTER.....

MODEL LP 550 “PUP” MEDIUM DUTY TURNTABLE STRETCH WRAP SYSTEM GENERAL SPECIFICATIONS

PRODUCTION SPEED:

- ❖ 1-15 loads per hour
NOTE: Process rates will vary with load size; number of wraps & forklift load/unload time

LOAD CAPACITY:

- ❖ Maximum load weight: 3,000# dynamic – 8,000# static
- ❖ Maximum load size: 48” W x 48” L x 75” H (68” Max. load diagonal)
NOTE: Maximum load size shown is the largest load PUP will wrap – no exceptions

TURNTABLE:

- ❖ 57” Diameter 5/16” thick laser-cut steel plate
- ❖ 18 point turntable support system
- ❖ Turntable height 2-1/4” from floor
- ❖ ANSI # 50 Direct Chain Drive c/w chain tensioner
- ❖ 1 - 9 RPM rotational speed c/w soft start acceleration
- ❖ 1/3 HP DC variable speed gear-motor
- ❖ Safety surround ring encloses turntable

FILM CARRIAGE ELEVATOR:

- ❖ 1/8 HP DC variable speed gear-motor
- ❖ Direct flat belt drive system
- ❖ 4 point “V” wheel carriage guidance system with side thrust rollers

FILM CARRIAGE:

- ❖ Manually adjusted friction brake web tensioning system
- ❖ Accepts standard 20” wide x 10” diameter film rolls (max.)
- ❖ Accepts hand-wrap to machine grade films, 12” to 20” roll width, up to 10” diameter

CONTROL FEATURES:

Manual Model LP 550-M

- ❖ Simple to operate
- ❖ Power On / Emergency Stop button
- ❖ Turntable Jog / Run switch
- ❖ Film Carriage Lower / Raise switch
- ❖ Turntable variable speed control
- ❖ Film carriage variable speed control
- ❖ Non-proprietary UL/CSA approved components

Semi-Automatic Models LP 550-SA/SAP

- ❖ Simple to operate
- ❖ Power On / Emergency Stop button
- ❖ Turntable Jog / Run switch
- ❖ Film Carriage Lower / Raise switch
- ❖ Turntable variable speed control
- ❖ Film carriage variable speed control
- ❖ Separate top & base wrap duration timers
- ❖ Adjustable top limit switch wrap height control
- ❖ Auto Load Height Sensing photo-eye (on LP 550-SAP model only)
- ❖ Non-proprietary UL/CSA approved components

STRUCTURAL FEATURES:

- ❖ Formed steel base construction
- ❖ Formed steel tower
- ❖ Forklift truck portable base design – pick-up angles included

ELECTRICAL INPUT REQUIREMENT:

- ❖ 115 Volts 1 Phase 60 Hz 10 Amps



.....SIMPLY BETTER.....

PRICING SUMMARY:

Demo Units Available ! Contact Us !

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>SHIPPING WEIGHT</u>	<u>PRICE</u>
LP 550	Manual Operation	900#	\$ 4,590.00 w/o ramp

Operator controls carriage up/down travel with selector switch throughout the wrap cycle.

OPTIONS:

1. ORMP-55 – 40” L x 60” W Tapered Ramp for manual pallet jack loading_____ \$ 520.00
2. OPE1 – 24” Long Porch Extension for powered pallet jacks_____ \$ 525.00
3. OPE2 – 40” Long Porch Extension for powered pallet jacks_____ \$ 690.00

**Want a Fully Automatic Wrapper for only \$9,990?
Check out our Automatic LP SW-A Stretch Wrapper!**



.....SIMPLY BETTER.....

550 PUP.....Or.....[LP-SWITCH?](#)



The 550 PUP is a dependable entry level machine designed for medium duty 3000# load applications. You can choose from the manual version where the operator controls the complete wrap cycle by selector switches or choose the semi-automatic model that allows the operator to set the wrap parameters and walk away while it wraps

.....Or.....

you can step up to the [LP-SWITCH](#) model that comes standard with a 4500# capacity turntable, structural steel tower, complete semi-automatic controls, surround deck turntable, automatic load height sensor photo-eye and a dial controlled film tensioning system. The additional cost of [the LP-SWITCH](#) is anywhere from \$1,600 to \$2,600 depending on the 550 PUP version you are considering purchasing. This is a small investment for so many additional heavy-duty structural features and semi-automatic controls.



STANDARD TERMS AND CONDITIONS

TERMS:

- 1/3 down payment with order, balance net 30 days after shipment (OAC) On Approved Credit (receiving company federal ID#, contact name & phone number required with order)

TAXES:

- Applicable taxes not included

FOB POINT:

- Factory – Toronto, Ontario (Canada). Freight prepaid and added to invoice

SHIPMENT:

- Approximately 2 - 3 weeks from receipt of order and down payment (and approved drawings if applicable)

START-UP SUPERVISION:

- Start-up supervision is highly recommended for in-line conveyORIZED automatic systems such as the 4100-45-OHA, 6100-CTA & 7100-OHA, and is available for \$750 per day plus expenses. Two days on-site are typically sufficient. Weekend start-ups will incur extra charges.

WARRANTY:

- 5/3 year warranty (see below).

PRICE PROTECTION:

- All prices are valid for thirty (30) days from date of quotation.

STANDARD MACHINE WARRANTY

Effective November 1, 2007

All components used in the manufacture of pallet wrap equipment and associated parts by Cousins Packaging are warranted to be free from defects in material and workmanship for a period of 5/3 years from the date of shipment. Five (5) years for metal fabrications manufactured by Cousins Packaging and three (3) years for buyout components (items purchased by Cousins). Cousins Packaging will, at its sole discretion, repair or replace any defective components.

Not covered by this warranty is normal wear of components such as, but not limited to; belts, chains, fuses, bulbs, etc., or misuse or abuse of the machine or any components thereof. As well, parts returned without the prescribed paperwork will not be covered by this warranty. Labor to remove or repair any component is also not covered by this warranty. Damage in transport is the responsibility of the carrier and is not covered under our warranty.

Except as stated herein, Cousins Packaging makes no other warranty, expressed or implied, nor does it assume or authorize anyone else to assume for it, any other obligation relating to Cousins' machinery or equipment. This warranty does not apply to equipment that, in the opinion of Cousins Packaging, has been subjected to misuse, neglect, or has been repaired or altered by unauthorized personnel. All defective parts must be returned in their original state. Defective parts that have been disassembled or damaged during removal or otherwise tampered with will not be covered under warranty, unless otherwise stated in writing by Cousins Packaging. Cousins Packaging makes no warranty as to fitness of equipment for particular purposes. Cousins Packaging Inc.'s sole obligation under this warranty will be to provide for repairs to components or replacement of parts, FOB Cousins Packaging Inc., Etobicoke, Ontario, Canada.