

**PROPOSAL FOR OUR MODEL:**

**LP 550 PUP SAP**



Provided by: [www.PTIPackaging.com](http://www.PTIPackaging.com)

**Toll Free 1-800-472-0067 or [info@ptipackaging.com](mailto:info@ptipackaging.com)**



## **MODEL LP 550 “PUP” MEDIUM DUTY TURNTABLE STRETCH WRAP SYSTEM GENERAL SPECIFICATIONS**

### **PRODUCTION SPEED:**

- ❖ 1-15 loads per hour  
NOTE: Process rates will vary with load size; number of wraps & forklift load/unload time

### **LOAD CAPACITY:**

- ❖ Maximum load weight: 3,000# dynamic – 8,000# static
- ❖ Maximum load size: 48” W x 48” L x 75” H (68” Max. load diagonal)  
NOTE: Maximum load size shown is the largest load PUP will wrap – no exceptions

### **TURNTABLE:**

- ❖ 57” Diameter 5/16” thick laser-cut steel plate
- ❖ 18 point turntable support system
- ❖ Turntable height 2-1/4” from floor
- ❖ ANSI # 50 Direct Chain Drive c/w chain tensioner
- ❖ 1 - 9 RPM rotational speed c/w soft start acceleration
- ❖ 1/3 HP DC variable speed gear-motor
- ❖ Safety surround ring encloses turntable

### **FILM CARRIAGE ELEVATOR:**

- ❖ 1/8 HP DC variable speed gear-motor
- ❖ Direct flat belt drive system
- ❖ 4 point “V” wheel carriage guidance system with side thrust rollers

### **FILM CARRIAGE:**

- ❖ Manually adjusted friction brake web tensioning system
- ❖ Accepts standard 20” wide x 10” diameter film rolls (max.)
- ❖ Accepts hand-wrap to machine grade films, 12” to 20” roll width, up to 10” diameter

### **CONTROL FEATURES:**

#### ***Manual Model LP 550-M***

- ❖ Simple to operate
- ❖ Power On / Emergency Stop button
- ❖ Turntable Jog / Run switch
- ❖ Film Carriage Lower / Raise switch
- ❖ Turntable variable speed control
- ❖ Film carriage variable speed control
- ❖ Non-proprietary UL/CSA approved components

#### ***Semi-Automatic Models LP 550-SA/SAP***

- ❖ Simple to operate
- ❖ Power On / Emergency Stop button
- ❖ Turntable Jog / Run switch
- ❖ Film Carriage Lower / Raise switch
- ❖ Turntable variable speed control
- ❖ Film carriage variable speed control
- ❖ Separate top & base wrap duration timers
- ❖ Adjustable top limit switch wrap height control
- ❖ Auto Load Height Sensing photo-eye (on LP 550-SAP model only)
- ❖ Non-proprietary UL/CSA approved components

### **STRUCTURAL FEATURES:**

- ❖ Formed steel base construction
- ❖ Formed steel tower
- ❖ Forklift truck portable base design – pick-up angles included

### **ELECTRICAL INPUT REQUIREMENT:**

- ❖ 115 Volts 1 Phase 60 Hz 10 Amps



## PRICING SUMMARY:

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>SHIPPING WEIGHT</u>	<u>PRICE</u>
LP 550-SAP	Semi-Automatic with Photo-Eye	900#	\$ 5,590.00 without ramp

*Same as the above semi-automatic model except it includes the automatic load height sensor (photo-eye) that controls the film carriage up travel by automatically finding the top of the load and stopping the carriage in the proper location for pre-selected top wraps.*

### OPTIONS:

1. ORMP-55 – 40" L x 60" W Tapered Ramp for manual pallet jack loading\_\_\_\_\_ \$ 520.00
2. OPE1 – 24" Long Porch Extension for powered pallet jacks\_\_\_\_\_ \$ 525.00
3. OPE2 – 40" Long Porch Extension for powered pallet jacks\_\_\_\_\_ \$ 690.00
4. OPSCLP550 for a 5' x 7' Platform Scale c/w GSE 350SS Digital Weight Indicator\_\_\_\_ \$ 4,495.00  
NOTE: option #5 (below) is required for pallet jacks
5. OPSCRMPP-550 scale ramp and porch for option #4\_\_\_\_\_ \$ 1,730.00

**Want a fully automatic for only **\$9,990?** Click on this link [www.cousinpackaging.com](http://www.cousinpackaging.com) and then click on the A-Arm Technology video to watch this unique machine operate.**



## STANDARD TERMS AND CONDITIONS

### TERMS:

- ❑ 1/3 down payment with order, balance net 30 days after shipment on approved credit (OAC) - receiving company federal ID#, contact name & phone number required with order. These terms may change at the discretion of our accounting department.

### TAXES:

- ❑ Applicable taxes not included.

### FOB POINT:

- ❑ Factory – Toronto, Ontario (Canada). Freight prepaid and added to invoice.

### SHIPMENT:

- ❑ Approximately 3 - 5 weeks from receipt of order and down payment (and approved drawings if applicable). Addition of options may add to lead-time. This lead-time is based on current production conditions and can change without notification.

### START-UP SUPERVISION:

- ❑ Start-up supervision is highly recommended for in-line conveyORIZED automatic systems such as the 4100-45-OHA, 6100-CTA & 7100-OHA, and is available for \$750 per day plus expenses. Two days on-site are typically sufficient. Weekend start-ups will incur extra charges.

### WARRANTY:

- ❑ Lifetime on blue pre-stretch rollers, 5 years on metal fabrications and 3 years on buyout components. (see below).

### PRICE PROTECTION:

- ❑ All prices are valid for thirty (30) days from date of quotation.

## STANDARD MACHINE WARRANTY

Effective May, 2011

All components used in the manufacture of pallet wrap equipment and associated parts by Cousins Packaging are warranted to be free from defects in material and workmanship for a period from date of shipment as follows: lifetime on blue pre-stretch rollers, five (5) years for metal fabrications manufactured by Cousins Packaging and three (3) years for buyout components (items purchased by Cousins). Cousins Packaging will, at its sole discretion, repair or replace any defective components.

Not covered by this warranty is normal wear of components such as, but not limited to; belts, chains, fuses, bulbs, etc., or misuse or abuse of the machine or any components thereof. As well, parts returned without the prescribed paperwork will not be covered by this warranty. Labor to remove or repair any component is also not covered by this warranty. Damage in transport is the responsibility of the carrier and is not covered under our warranty.

Except as stated herein, Cousins Packaging makes no other warranty, expressed or implied, nor does it assume or authorize anyone else to assume for it, any other obligation relating to Cousins' machinery or equipment. This warranty does not apply to equipment that, in the opinion of Cousins Packaging, has been subjected to misuse, neglect, or has been repaired or altered by unauthorized personnel. All defective parts must be returned in their original state. Defective parts that have been disassembled or damaged during removal or otherwise tampered with will not be covered under warranty, unless otherwise stated in writing by Cousins Packaging. Cousins Packaging makes no warranty as to fitness of equipment for particular purposes. Cousins Packaging Inc.'s sole obligation under this warranty will be to provide for repairs to components or replacement of parts, FOB Cousins Packaging Inc., Etobicoke, Ontario, Canada.